



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NOV 6 1998

Indianapolis Division
6964 Hillsdale Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

10/30/1998

NET Job Number: 98.07350
Page 1 of 2

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
222024	OUTFALL 001	10/22/1998	10/23/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

MIL0004613



NATIONAL
ENVIRONMENTAL
TESTING, INC.

NOV 6 1998

Indianapolis Division
6964 Hillside Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

10/30/1998

Job No.: 98.07350

Page 2 of 2

Date Received: 10/23/1998

Job Description: TWICE WEEKLY WASTEWATER

Sample Number / Sample I.D.			Sample Date/	Analyst &		Reporting
Parameters	Result	Flag	Units	Date Analyzed	Method	Limit
222024	OUTFALL 001		10/22/1998			
Iron, ICP	4.1		mg/L	psc / 10/29/1998	EPA 200.7	<0.10
Lead, ICP	<0.080		mg/L	psc / 10/29/1998	EPA 200.7	<0.080
Silver, ICP	<0.020		mg/L	psc / 10/29/1998	EPA 200.7	<0.020
Zinc, ICP	0.18		mg/L	psc / 10/29/1998	EPA 200.7	<0.020

MIL0004614



COMPANY MILB. Mfg.
ADDRESS 1400 E. HAVENS BL.
PHONE 765 452 5694 FAX _____
PROJECT NAME/LOCATION Twice Weekly wastewater
PROJECT NUMBER _____
PROJECT MANAGER Mr. Richard Tyler

REPORT TO: _____
INVOICE TO: _____
P.O. NO. _____
NET QUOTE NO. 98.0060

C. Brown Usher
(PRINT NAME)


SIGNATURE

(PRINT NAME)

SIGNATURE

ANALYSES

To assist us in selecting the proper method

Is this work being conducted for regulatory compliance monitoring? Yes _____ No _____

Is this work being conducted for regulatory enforcement action? Yes _____ No _____

Which regulations apply: RCRA _____ NPDES Wastewater _____
UST _____ Drinking Water _____
Other _____ None _____

COMMENTS

[illegible]

CONDITION OF SAMPLE: BOTTLES INTACT? YES / NO
FIELD FILTERED? YES / NO

COC SEALS PRESENT AND INTACT? YES/NO
VOLATILES FREE OF HEADSPACE? YES/NO

TEMPERATURE UPON RECEIPT: 4.3°C
Bottles supplied by NET? YES NO

SAMPLE REMAINDER DISPOSAL: RETURN SAMPLE REMAINDER TO CLIENT VIA _____
I REQUEST NET TO DISPOSE OF ALL SAMPLE REMAINDERS

DATE _____

RELINQUISHED BY:

DATE _____

TIME

RECEIVED BY:

RELINQUISHED BY:

DATE _____

TIME

RECEIVED FOR NET BY:

METHOD OF SHIPMENT

REMARKS: